

Always. Reliable. Tight.



**The first modular seal with
integrated installation control**
For a maximum installation security

Yellow. Safe. Installed.

GKD – convincing at first sight



Modular seal GKD

The modular seal with integrated installation control



Article code:
GKD xxx

Features and technical data:

- integrated installation control – no torque control key required
- no retightening required
- nuts moulded in pressure plate, therefore no loose parts
- high quality rubber in EPDM or NBR
- all metal parts made of high quality stainless steel V4A (AISI 316L)
- optimized geometry
- tightness up to 5 bar approved by Lloyds register
- made in Germany

The modular seal GKD from Hauff-Technik is the ideal sealing for pipes in core drilled holes or wall sleeves. The integrated installation control is giving a high installation security. Thanks to the modular structure the GKD is suitable for all kind of pipes and diameter combinations.

Annular space (mm)		Carrier pipe Ø (mm)		Required wall thickness (mm)	Article code
from	to	from	to		
19,5	22,5	73,5	250	100	z x GKD 300
23,25	26	60,3	315	100	z x GKD 315
24	30	177,8	711	110	z x GKD 325
36,5	43	204	1220	150	z x GKD 400
29	35	204	1220	125	z x GKD 425
45	52	204	1220	150	z x GKD 440
41,3	48,5	114,3	1220	150	z x GKD 475
62	71,5	193,7	1220	165	z x GKD 500
58	63,5	193,7	1220	165	z x GKD 525
50	58	204	1220	165	z x GKD 575
90	98	323,9	3000	205	z x GKD 615
77	84	244,5	2000	165	z x GKD 650

Find the right seal for your requirement with the help of the product configurator on www.hauff-technik.de

z = number of segments

Yellow. Safe. Installed.

Have the installation procedure in view at all time with integrated inspection window

GKD – installation security inclusive




GKD – simply quicker installed



The combination of a optimized bolt geometry, a special rubber and the Hauff lubricant ensures that the modular seal is installed after a one-time tightening. Your advantage – no waiting time and no time consuming repeated retightening


NEW:

1. installation time



UNTIL NOW:

1. installation time
2. waiting time
3. additional installation time




Modular seal GKD

The visual installation control



All yellow.
Done!



All yellow?
Installation mistake immediately noticed!



All yellow.
Installation time saved!

Modular seal GKD

Installation procedure





TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDING
ENTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIA
BLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE
BUILDINGENTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.R
CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY
RY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIABLE.AL
WAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.B
BUILDINGENTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.R
AYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIABLE.ALWAYS.TIG
E.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.P
E.PIPE.BUILDINGENTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY.AL
WAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIABLE.ALWAYS
S.TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILD
INGENTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIA
CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTR
NTRY.ALWAYS.RELIABLE.ALWAYS.TIGHT.CABLE.PIPE.BUILDINGENTRY.ALWAYS.RELIABLE.A

ALWAYS HAUFF